

**PROPOSED IMPROVEMENTS
AND
DETAILS**

SECTION C-C

SECTION D-D

PLAN

All dimensions are in mm unless otherwise specified.


INDIANA DEPARTMENT OF TRANSPORTATION

EARTH DITCH CASTING

TYPE 7

APRIL 1995





STANDARD DRAWING NO. 720-EDCA-01



DESIGN STANDARDS ENGINEER

/s/ Donald W. Lucas 4-03-95
CHIEF HIGHWAY ENGINEER DATE

Source Sheet:	MC
---------------	----



INDIANA DEPARTMENT OF TRANSPORTATION

INDIANA DEPARTMENT OF TRANSPORTATION

INLETS TYPE E AND F

SEPTEMBER 1997

STANDARD DRAWING NO. 720-INST-04

/s/ Anthony L. Uremovich 9-01-97
DESIGN STANDARDS ENGINEER DATE

DESIGN STANDARDS ENGINEER

YD

/s/ Donald W. Lucas 9-01-97
CHIEF HIGHWAY ENGINEER DATE

CHIEF HIGHWAY ENGINEER

Y01



Source Sheet:	MD
---------------	----

INLET TYPE F (CONC.)

INLET TYPE E (CONC.)

GENERAL NOTES

- ① Bar spacing shall be 50 c. to c. minimum and 80 c. to c. maximum.
- ② The dimensions of the angle iron frame shall be as shown except that the A dimension may vary according to type of grating used.



All dimensions are in mm unless otherwise specified.

INDIANA DEPARTMENT OF TRANSPORTATION

CASTING TYPE 12 GRATE AND FRAME

APRIL 1985

STANDARD DRAWING NO. 720-ICCA-10

	/s/ Anthony L. Urekovich 4-03-85 DESIGN STANDARDS ENGINEER DATE
	/s/ Donald W. Lucas 4-03-85 CHIEF HIGHWAY ENGINEER DATE

